





































Screw Information Chart:

HEAD TYPES				
				
FLAT TRUSS	PAN HEAD	ROUND HEAD	ROUND WASHER	HEX HEAD
				
HEX WASHER	TRUSS HEAD	OVAL HEAD	FLAT HEAD	TRIM HEAD
				
ONE-WAY HEAD	MOD TRUSS	BUGLE HEAD	PANCAKE HEAD	WAFER HEAD

HOW TO MEASURE A SCREW:					
					
					
FLAT	ROUND	OVAL	HEX	PAN	TRUSS

SCREW SIZE		
Nominal Size	Basic Screw Diameter	Actual Size
0	0.0600	
1	0.0730	
2	0.0860	
3	0.0990	
4	0.1120	
5	0.1250	
6	0.1380	
7	0.1510	
8	0.1640	
10	0.1900	
12	0.2160	
1/4	0.2500	
5/16	0.3125	
3/8	0.3750	

Where specifying nominal size in decimals, zeros preceding decimal and in the fourth decimal place shall be omitted. Sizes shown in highlighted are preferred.

TO SELECT PHILLIPS DRIVER SIZE				
Screw Type	SCREW DIAMETER & HEAD STYLE			Size of Bit or Driver
	Oval, Pan & Flat	Round & Fillister	Truss	
Machine & Tapping Screws	0-1	0-1	0-1	0
	2-4	2-4	2-4	1
	5-10	5-10	5-10	2
	12-14	12-5/16	12-14	3
	5/16-1/2	3/8-1/2	5/16-1/2	4
Wood Screws	0-1	0-1	0-1	0
	2-4	2-4	2-4	1
	5-9	5-10	6-10	2
	10-16	11-16	12-16	3
	18-24	18-24	18-24	4

METRIC CONVERSION CHART

Frac. (in.)	Dec. (in.)	mm	Frac. (in.)	Dec. (in.)	mm
1/64	0.015625	0.3969	33/64	0.515625	13.0969
1/32	0.031250	0.7938	17/32	0.531250	13.4938
3/64	0.046875	1.1906	35/64	0.546875	13.8906
1/16	0.062500	1.5875	9/16	0.562500	14.2875
5/64	0.078125	1.9844	37/64	0.578125	14.6844
3/32	0.093750	2.3812	19/32	0.593750	15.0813
7/64	0.109375	2.7781	39/64	0.609375	15.4781
1/8	0.125000	3.1750	5/8	0.625000	15.8750
9/64	0.140625	3.5719	41/64	0.640625	16.2719
5/32	0.156250	3.9688	21/32	0.656250	16.6688
11/64	0.171875	4.3656	43/64	0.671875	17.0656
3/16	0.187500	4.7625	11/16	0.687500	17.4625
13/64	0.203125	5.1594	45/64	0.703125	17.8594
7/32	0.218750	5.5563	23/32	0.718750	18.2563
15/64	0.234375	5.9531	47/64	0.734375	18.6531
1/4	0.250000	6.3500	3/4	0.750000	19.0500
17/64	0.265625	6.7469	49/64	0.765625	19.4469
9/32	0.281250	7.1438	25/32	0.781250	19.8437
19/64	0.296875	7.5406	51/64	0.796875	20.2406
5/16	0.312500	7.9375	13/16	0.812500	20.6375
21/64	0.328125	8.3344	53/64	0.828125	21.0344
11/32	0.343750	8.7312	27/32	0.843750	21.4312
23/64	0.359375	9.1281	55/64	0.859375	21.8281
3/8	0.375000	9.5250	7/8	0.875000	22.2250
25/64	0.390625	9.9219	57/64	0.890625	22.6219
13/32	0.406250	10.3188	29/32	0.906250	23.0188
27/64	0.421875	10.7156	59/64	0.921875	23.4156
7/16	0.437500	11.1125	15/16	0.937500	23.8125
29/64	0.453125	11.5094	61/64	0.953125	24.2094
15/32	0.468750	11.9062	31/32	0.968750	24.6062
31/64	0.484375	12.3031	63/64	0.984375	25.0031
1/2	0.500000	12.7000	1	1.000000	25.4000